

Message

**From:** [Nonresponsive based on revised scope]@gdit.com]  
**Sent:** 7/25/2019 4:01:19 PM  
**To:** Baker, Lorie [Baker.Lorie@epa.gov]  
**CC:** [Nonresponsive based on revised scope]@WestonSolutions.com]; O'Loughlin, Connor [oloughlin.connor@epa.gov]; Jeng, Terry [Jeng.Terry@epa.gov]; [Nonresponsive based on revised scope]@gdit.com]; [Nonresponsive based on revised scope]@skeo.com]  
**Subject:** RE: Blades SEMs address and lat and long

Hi Lorie,

The lat/long seems to coordinate with well SIGW-06 which is an observed release well (with PFOA at 610 ng/L).

## Ex. 5 Deliberative Process (DP)

Thanks,

[Nonresponsive based on revised scope]

Environmental Scientist  
Federal Civilian – Science and Engineering

[Nonresponsive based on revised scope]

6361 Walker Lane, Suite 300  
Alexandria, VA 22310  
[www.gdit.com](http://www.gdit.com)

Working at Home Office: Wednesdays and Thursdays (unless otherwise noted).

**GENERAL DYNAMICS**  
Information Technology

---

**From:** Baker, Lorie <Baker.Lorie@epa.gov>  
**Sent:** Wednesday, July 24, 2019 4:05 PM  
**To:** [Nonresponsive based on revised scope]@csra.com>  
**Cc:** [Nonresponsive based on revised scope]@WestonSolutions.com]; O'Loughlin, Connor <oloughlin.connor@epa.gov>; Jeng, Terry <Jeng.Terry@epa.gov>  
**Subject:** FW: Blades SEMs address and lat and long

[Nonresponsive based on revised scope]

Please see [Nonresponsive based on revised scope] response in blue below to your comments on the street address and the lat/long. If this is OK, we'll revise the info in SEMS and pull a new reference.

Thanks!

Lorie

---

**From:** Nonresponsive based on revised scope WestonSolutions.com>  
**Sent:** Wednesday, July 24, 2019 2:31 PM  
**To:** O'Loughlin, Connor <oloughlin.connor@epa.gov>  
**Cc:** Baker, Lorie <Baker.Lorie@epa.gov>  
**Subject:** Blades SEMs address and lat and long

Connor and Lorie,

GDIT had these comments with respect to the site address and lat and long in SEMs:

## Ex. 5 Deliberative Process (DP)

Let me know if this sounds OK and if so can you please update it in SEMS so I can grab the revise SEMs page for a reference.

Thanks!

Nonresponsive based on revised scope

Principal Project Scientist  
Weston Solutions, Inc.

Nonresponsive based on revised scope

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

This electronic message transmission contains information from GDIT that may be attorney-client privileged, proprietary or confidential. The information in this message is intended only for use by the individual(s) to whom it is addressed. If you believe you have received this message in error, please contact me immediately and be aware that any use, disclosure, copying or distribution of the contents of this message is strictly prohibited. NOTE: Regardless of content, this email shall not operate to bind GDIT to any order or other contract unless pursuant to explicit written agreement or government initiative expressly permitting the use of email for such purpose.